


# LinTronic

## TT455-RT-238 Triggers and Actions





TT455-RT-238 is designed to be activated by Triggers (coming in) which generates Actions (going out).

**Example:**

You send a remote control code to the TT455-RT-238 (play), and it sends out commands to start your DVD player, dim/set the light level and lower the curtains.

One Trigger can start 250 sequential Actions.

TT455-RT-238 is 100% configurable - you specify what you need.




# Trigger examples (going in)

Digital on/off from a switch, relay, contact, etc. (2 inputs)

RS232 commands from your computer, MasterLink gateway, controller, PLC, etc. (2 ports)


Activating the buttons on the receiver

infrared commands from a B&O remote




infrared commands from a 36-40 KHz remote


# Trigger examples (going in)



# Actions examples (going out)



# Actions examples (going out)




## How it works


When TT455-RT-238 detects a Trigger, the trigger is send to the Customer Configuration (Memory Map).

If the Customer Configuration is set to react to this Trigger, it will activate a macro holding the required Actions.

A macro can hold from 1 to 32 Actions.

The Triggers and Actions are easily customized in our Configurator program and can be changed anytime to accomodate new products.





During the configuration, you can freely download codes (Actions) from our database. You can test right away whether the downloaded codes work with your product.

Or you can read in the codes from your remote control - and upload them to our database later - to help others and yourself.



# Triggers Actions

## MEMORY MAP

The Configurator allows you to specify which Triggers should activate which Actions.

In order to keep the operation simple and avoid mistakes - you only match the functions you need.

This example will allow you to keep the original operation of your B&O TV, use the DVD commands to control your Pioneer DVD and use the LIGHT commands to control your Lutron light system.




RADIO translates to your amplifier

LIGHT translates to your light system

DVD translates to your DVD



Configuration is stored into the TT455-RT-238



and you may now remove the TT455-RT-238 from the computer and place it in your home.